

Date: 14/04/2017 Page 1/7

Revision: N°2 (14/04/2017)

#### SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : Alltek Diamant R+ Product code : SW 100046.

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Paint filler for interior skim coat plastering: for spray application with screw pumps

## 1.3. Details of the supplier of the safety data sheet

Registered company name: International Coating Products S.A.S.

Address: ZAC Le Grand Blossieu.01150.Lagnieu.France. Telephone: +33 474 40 14 74. Fax: +33 474 40 15 05.

Email: security.data@icp-alltek.com

# 1.4. Emergency telephone number: +33 (0)4 74 40 19 64.

Association/Organisation: http://www.centres-antipoison.net +33 (0)1 45 42 59 59.

# SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

## 2.2. Label elements

Mixture for spray application.

Voluntary classification 15ppm<Contains Methylisothiazolinone. May produce an allergic

reaction.<100ppn

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH208 Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND

2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children. P103 Read label before use.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

Date: 14/04/2017 Page 2/7

Revision: N°2 (14/04/2017)

#### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

**Composition:** 

Identification	(EC) 1272/2008	Note	%
INDEX: 613-088-00-6	GHS05, GHS07, GHS09		0 <= x % < 1
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Eye Dam. 1, H318		
	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 613-167-00-5	GHS06, GHS05, GHS09		0 <= x % < 1
CAS: 55965-84-9	Dgr		
	Acute Tox. 3, H331		
MIXTURE OF:	Acute Tox. 3, H311		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317		
220-239-6] (3:1)	Aquatic Acute 1, H400		
	M Acute = 1		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

#### **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

# In the event of swallowing:

Seek medical attention, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

## **SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

Date: 14/04/2017 Page 3/7

Revision: N°2 (14/04/2017)

## 5.3. Advice for firefighters

No data available.

#### SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Prevent any material from entering drains or waterways.

## 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

#### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

# Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

# Storage

Keep out of reach of children.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

Recommended types of packaging:

- Buckets
- Bags
- Drums

Suitable packaging materials:

- Plastic

Unsuitable packaging materials:

- Metal

#### 7.3. Specific end use(s)

No data available.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

No data available.

### 8.2. Exposure controls

Version: N°1 (14/04/2017) International Coating Products S.A.S

Alltek Diamant R+ - SW 100046

Date: 14/04/2017 Page 4/7

Revision: N°2 (14/04/2017)

## Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

#### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

#### **General information:**

Physical state: Paste.
Color: white
Odour: strong

### Important health, safety and environmental information

pH: 8.00 +/-1.

Slightly basic.

Boiling point/boiling range: Not relevant. Flash point interval: Not relevant. Vapour pressure (50°C): Not relevant. Density: 1,7+/-0,1Water solubility: Dilutable. Melting point/melting range: Not relevant. Not relevant. Self-ignition temperature: Decomposition point/decomposition range: Not relevant.

9.2. Other information

VOC (g/l): <1

## **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

Date: 14/04/2017 Page 5/7

Revision: N°2 (14/04/2017)

# 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

No data available.

#### SECTION 11 : TOXICOLOGICAL INFORMATION

#### 11.1. Information on toxicological effects

No data available.

### 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

#### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

#### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

#### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

## Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

Version: N°1 (14/04/2017)

International Coating Products S.A.S

Alltek Diamant R+ - SW 100046

# **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

14.1. UN number

-

14.2. UN proper shipping name

\_

14.3. Transport hazard class(es)

\_

14.4. Packing group

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

# SECTION 15: REGULATORY INFORMATION

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)

#### - Container information:

No data available.

#### - Particular provisions :

No data available.

#### 15.2. Chemical safety assessment

No data available.

L1201

### **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

Date: 14/04/2017 Page 6/7

Revision: N°2 (14/04/2017)

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

# Wording of the phrases mentioned in section 3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Toyio if awallowed

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (14/04/2017)

International Coating Products S.A.S

#### Alltek Diamant R+ - SW 100046

Date: 14/04/2017 Page 7/7 Revision: N°2 (14/04/2017)

## **Abbreviations:**

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.